

The NatureMapping Program

Washington Plant List

Douglas County by Common Name

Revised: 9/15/2011

(1) Non-native, (2) Invasive

| ID | Scientific Name | Common Name | Plant Family | (1) Non-native, (2) Invasive | ✓ |
|------|-----------------------------------|--------------------------|------------------|------------------------------|---|
| 234 | <i>Medicago hispida</i> * | Alfalfa | Fabaceae | 1 | |
| 1071 | <i>Poa juncifolia</i> | Alkali bluegrass | Poaceae | | |
| 1109 | <i>Spartina gracilis</i> | Alkali cordgrass | Poaceae | | |
| 869 | <i>Castilleja exilis</i> | Alkali paintbrush | Scrophulariaceae | | |
| 920 | <i>Distichlis stricta</i> | Alkali salt grass | Poaceae | | |
| 1110 | <i>Spergularia diandra</i> * | Alkali sandspurry | Caryophyllaceae | 1 | |
| 440 | <i>Veronica americana</i> | American brooklime | Scrophulariaceae | | |
| 715 | <i>Vicia americana</i> | American vetch | Fabaceae | | |
| 19 | <i>Alisma plantago-aquatica</i> | American waterplantain | Alismataceae | | |
| 716 | <i>Agoseris heterophylla</i> | Annual agoseris | Asteraceae | | |
| 494 | <i>Deschampsia danthonioides</i> | Annual hairgrass | Poaceae | | |
| 755 | <i>Helianthus annuus</i> | Annual sunflower | Asteraceae | | |
| 319 | <i>Pyrus malus</i> * | Apple | Rosaceae | 1 | |
| 495 | <i>Balsamorhiza sagittata</i> | Arrow-leaf balsamroot | Asteraceae | | |
| 854 | <i>Carex atherodes</i> | Awned sedge | Cyperaceae | | |
| 900 | <i>Crepis bakeri</i> | Baker's hawksbeard | Asteraceae | | |
| 187 | <i>Juncus balticus</i> | Baltic rush | Juncaceae | | |
| 137 | <i>Festuca bromoides</i> * | Barren fescue | Poaceae | 1 | |
| 831 | <i>Astragalus filipes</i> | Basalt milk-vetch | Fabaceae | | |
| 892 | <i>Comandra umbellata</i> | Bastard toad-flax | Santalaceae | | |
| 901 | <i>Crepis barbiger</i> | Bearded hawksbeard | Asteraceae | | |
| 11 | <i>Agropyron caninum</i> | Bearded wheatgrass | Poaceae | | |
| 855 | <i>Carex bebbii</i> | Bebb's sedge | Cyperaceae | | |
| 1030 | <i>Oenothera contorta</i> | Bentpod evening-primrose | Onagraceae | | |
| 1081 | <i>Potentilla biennis</i> | Biennial cinquefoil | Rosaceae | | |
| 826 | <i>Artemesia tridentata</i> | Big sagebrush | Asteraceae | | |
| 220 | <i>Lupinus polyphyllus</i> | Big-leaf lupine | Fabaceae | | |
| 1114 | <i>Spiraea betulifolia</i> | Birch-leafed spirea | Rosaceae | | |
| 308 | <i>Prunus emarginata</i> | Bitter cherry | Rosaceae | | |
| 1085 | <i>Purshia tridentata</i> | Bitterbrush | Rosaceae | | |
| 500 | <i>Lewisia rediviva</i> | Bitterroot | Portulacaceae | | |
| 377 | <i>Solanum dulcamara</i> * | Bittersweet nightshade | Solanaceae | 1 | |
| 295 | <i>Populus trichocarpa</i> | Black cottonwood | Salicaceae | | |
| 106 | <i>Crataegus douglasii</i> | Black hawthorn | Rosaceae | | |
| 760 | <i>Robinia pseudoacacia</i> * | Black locust | Fabaceae | 1 | |
| 502 | <i>Gaillardia aristata</i> | Blanket-flower | Asteraceae | | |
| 1016 | <i>Mentzelia laevicaulis</i> | Blazingstar | Loasaceae | | |
| 503 | <i>Festuca idahoensis</i> | Blue bunchgrass | Poaceae | | |
| 357 | <i>Sambucus cerulea</i> | Blue elderberry | Caprifoliaceae | | |
| 505 | <i>Lactuca pulchella</i> | Blue lettuce | Asteraceae | | |
| 510 | <i>Chorispora tenella</i> * | Blue mustard | Brassicaceae | 1 | |
| 967 | <i>Hackelia micrantha</i> | Blue stickseed | Boraginaceae | | |
| 714 | <i>Elymus glaucus</i> | Blue wild rye | Poaceae | | |
| 523 | <i>Agropyron spicatum</i> | Blue-bunch wheatgrass | Poaceae | | |
| 529 | <i>Sisyrinchium angustifolium</i> | Blue-eyed grass | Iridaceae | | |
| 744 | <i>Agropyron smithii</i> | Bluestem | Poaceae | | |
| 1090 | <i>Rorippa obtusa</i> | Blunt-leaf yellowcress | Brassicaceae | | |
| 534 | <i>Verbena bracteata</i> | Bracted vervain | Verbenaceae | | |

| | | | | | |
|------|-----------------------------------|-----------------------------|------------------|--|---|
| 1060 | <i>Phacelia ramosissima</i> | Branched phacelia | Hydrophyllaceae | | |
| 1088 | <i>Rigiopappus leptocladus</i> | Bristlehead | Asteraceae | | |
| 1039 | <i>Opuntia fragilis</i> | Brittle prickly pear cactus | Cactaceae | | |
| 1003 | <i>Lupinus latifolius</i> | Broad-leaf lupine | Fabaceae | | |
| 994 | <i>Listera convallarioides</i> | Broad-lipped twayblade | Orchidaceae | | |
| 457 | <i>Bromus sp.*</i> | Brome-grass | Poaceae | | 1 |
| 1083 | <i>Potentilla rivalis</i> | Brook cinquefoil | Rosaceae | | |
| 830 | <i>Astragalus caricinus</i> | Buckwheat milk-vetch | Fabaceae | | |
| 536 | <i>Amsinckia lycopsoides</i> | Bugloss fiddleneck | Boraginaceae | | |
| 735 | <i>Poa bulbosa*</i> | Bulbous bluegrass | Poaceae | | 1 |
| 92 | <i>Cirsium vulgare*</i> | Bull thistle | Asteraceae | | 1 |
| 805 | <i>Ambrosia acanthicarpa</i> | Bur ragweed | Asteraceae | | |
| 1118 | <i>Stephanomeria tenuifolia</i> | Bush wirelettuce | Asteraceae | | |
| 1015 | <i>Mentzelia dispersa</i> | Bushy mentzelia | Loasaceae | | |
| 538 | <i>Hesperochiron californicus</i> | California hesperochiron | Hydrophyllaceae | | |
| 829 | <i>Astragalus canadensis</i> | Canada milk-vetch | Fabaceae | | |
| 91 | <i>Cirsium arvense*</i> | Canada thistle | Asteraceae | | 1 |
| 280 | <i>Poa compressa</i> | Canadian bluegrass | Poaceae | | |
| 809 | <i>Angelica canbyi</i> | Canby's angelica | Apiaceae | | |
| 1069 | <i>Poa canbyi</i> | Canby's bluerass | Poaceae | | |
| 997 | <i>Lomatium canbyi</i> | Canby's desert-parsley | Apiaceae | | |
| 539 | <i>Plantago patagonica</i> | Candleweed | Plantaginaceae | | |
| 524 | <i>Carex sp.</i> | Carex sp. | Cyperaceae | | |
| 842 | <i>Balsamorhiza careyana</i> | Carey's balsamroot | Asteraceae | | |
| 923 | <i>Downingia yina</i> | Cascade downingia | Campanulaceae | | |
| 542 | <i>Ranunculus sceleratus</i> | Celery-leaved buttercup | Ranunculaceae | | |
| 62 | <i>Bromus tectorum*</i> | Cheat grass | Poaceae | | 1 |
| 1054 | <i>Penstemon pruinosus</i> | Chelan penstemon | Scrophulariaceae | | |
| 310 | <i>Prunus virginiana</i> | Chokecherry | Rosaceae | | |
| 545 | <i>Lepidium perfoliatum*</i> | Clasping peppergrass | Brassicaceae | | 1 |
| 145 | <i>Galium aparine</i> | Cleavers | Rubiaceae | | |
| 1076 | <i>Polygonum confertiflorum</i> | Close-flowered knotweed | Polygonaceae | | |
| 1011 | <i>Marsilea vestita</i> | Clover fern | Marsileaceae | | |
| 723 | <i>Trifolium sp.</i> | Clover sp. | Fabaceae | | |
| 1138 | <i>Xanthium strumarium*</i> | Cocklebur | Asteraceae | | 1 |
| 989 | <i>Lesquerella douglasii</i> | Columbia bladderpod | Brassicaceae | | |
| 975 | <i>Hymenopappus filifolius</i> | Columbia cutleaf | Asteraceae | | |
| 549 | <i>Frasera albicaulis</i> | Columbia frasera | Gentianaceae | | |
| 969 | <i>Haplopappus resinousus</i> | Columbia goldenweed | Asteraceae | | |
| 897 | <i>Crataegus columbiana</i> | Columbia hawthorn | Rosaceae | | |
| 550 | <i>Lithospermum ruderale</i> | Columbia puccoon | Boraginaceae | | |
| 894 | <i>Coreopsis atkinsoniana</i> | Columbia tickseed | Asteraceae | | |
| 895 | <i>Corispermum hyssopifolium*</i> | Common bugseed | Chenopodiaceae | | 1 |
| 37 | <i>Arctium minus*</i> | Common burdock | Asteraceae | | 1 |
| 431 | <i>Typha latifolia</i> | Common cattail | Typhaceae | | |
| 551 | <i>Bromus commutatus*</i> | Common chess/Hairy brome | Poaceae | | 1 |
| 914 | <i>Cuscuta epithymum</i> | Common dodder | Cuscutaceae | | |
| 1035 | <i>Oenothera strigosa</i> | Common evening-primrose | Onagraceae | | |
| 371 | <i>Senecio vulgaris*</i> | Common groundsel | Asteraceae | | 1 |
| 985 | <i>Lagophylla ramosissima</i> | Common hareleaf | Asteraceae | | |
| 129 | <i>Equisetum arvense</i> | Common horsetail | Equisetaceae | | 2 |
| 916 | <i>Cynoglossum officinale*</i> | Common hound's-tongue | Boraginaceae | | 1 |
| 242 | <i>Mimulus guttatus</i> | Common monkey-flower | Scrophulariaceae | | |
| 439 | <i>Verbascum thapsus*</i> | Common mullein | Scrophulariaceae | | 1 |

| | | | | | |
|------|-------------------------------------|----------------------------|------------------|---|--|
| 555 | <i>Lepidium densiflorum</i> | Common pepperweed | Brassicaceae | | |
| 277 | <i>Plantago major</i> * | Common plantain | Plantaginaceae | 1 | |
| 1067 | <i>Phragmites communis</i> | Common reed | Poaceae | | |
| 301 | <i>Potentilla anserina</i> | Common silverweed | Rosaceae | | |
| 404 | <i>Symphoricarpos albus</i> | Common snowberry | Caprifoliaceae | | |
| 123 | <i>Eleocharis palustris</i> | Common spike-rush | Cyperaceae | | |
| 394 | <i>Stachys cooleyae</i> | Cooley's hedge-nettle | Lamiaceae | | |
| 558 | <i>Lithospermum arvense</i> * | Corn gromwell | Boraginaceae | 1 | |
| 167 | <i>Heracleum lanatum</i> | Cow parsnip | Apiaceae | | |
| 445 | <i>Vicia cracca</i> * | Cow vetch | Fabaceae | 1 | |
| 1028 | <i>Nicotiana attenuata</i> | Coyote tobacco | Solanaceae | | |
| 1093 | <i>Salix exigua</i> | Coyote willow | Salicaceae | | |
| 559 | <i>Berberis repens</i> | Creeping Oregongrape | Berberidaceae | | |
| 560 | <i>Agropyron cristatum</i> * | Crested wheatgrass | Poaceae | 1 | |
| 1130 | <i>Trifolium cyathiferum</i> | Cup clover | Fabaceae | | |
| 1111 | <i>Sphaeralcea grossulariifolia</i> | Currant-leaved globemallow | Malvaceae | | |
| 935 | <i>Erigeron poliospermus</i> | Cushion fleabane | Asteraceae | | |
| 1070 | <i>Poa cusickii</i> | Cusick's bluegrass | Poaceae | | |
| 815 | <i>Arabis cusickii</i> | Cusick's rockcress | Brassicaceae | | |
| 921 | <i>Dodecatheon cusickii</i> | Cusick's shooting star | Primulaceae | | |
| 191 | <i>Juncus ensifolius</i> | Daggerleaf rush | Juncaceae | | |
| 1066 | <i>Phoenicaulis chieranthoides</i> | Daggerpod | Brassicaceae | | |
| 562 | <i>Linaria dalmatica</i> * | Dalmatian toad-flax | Scrophulariaceae | 1 | |
| 408 | <i>Taraxacum officinale</i> * | Dandelion | Asteraceae | 1 | |
| 109 | <i>Crepis runcinata</i> | Dandelion hawkbeard | Asteraceae | | |
| 951 | <i>Gayophytum decipiens</i> | Deceptive groundsmoke | Onagraceae | | |
| 845 | <i>Boisduvalia densiflora</i> | Dense spike-primrose | Onagraceae | | |
| 820 | <i>Arenaria congesta</i> | Dense-flowered sandwort | Caryophyllaceae | | |
| 563 | <i>Dodecatheon conjugens</i> | Desert shooting star | Primulaceae | | |
| 932 | <i>Erigeron linearis</i> | Desert yellow daisy | Asteraceae | | |
| 808 | <i>Amsinckia tessellata</i> | Devil's lettuce | Boraginaceae | | |
| 891 | <i>Collomia tenella</i> | Diffuse collomia | Polemoniaceae | | |
| 872 | <i>Centaurea diffusa</i> * | Diffuse knapweed | Asteraceae | 1 | |
| 348 | <i>Ruppia maritima</i> | Ditchgrass | Ruppiaceae | | |
| 285 | <i>Polygonum aviculare</i> * | Doorweed | Polygonaceae | 1 | |
| 564 | <i>Brodiaea douglasii</i> | Douglas' brodiaea | Liliaceae | | |
| 938 | <i>Eriogonum douglasii</i> | Douglas' buckwheat | Polygonaceae | | |
| 311 | <i>Pseudotsuga menziesii</i> | Douglas fir | Pinaceae | | |
| 1077 | <i>Polygonum douglasii</i> | Douglas' knotweed | Polygonaceae | | |
| 763 | <i>Acer glabrum</i> | Douglas maple | Aceraceae | | |
| 857 | <i>Carex douglasii</i> | Douglas' sedge | Cyperaceae | | |
| 1106 | <i>Silene douglasii</i> | Douglas' silene | Caryophyllaceae | | |
| 1020 | <i>Mimetanthe pilosa</i> | Downy monkey-flower | Scrophulariaceae | | |
| 312 | <i>Psoralea lanceolata</i> | Dune scurf-pea | Fabaceae | | |
| 874 | <i>Chaenactis douglasii</i> | Dusty maidens | Asteraceae | | |
| 1034 | <i>Oenothera pygmaea</i> | Dwarf evening-primrose | Onagraceae | | |
| 973 | <i>Hesperochiron pumilis</i> | Dwarf hesperochiron | Hydrophyllaceae | | |
| 990 | <i>Lewisia pygmaea</i> | Dwarf lewisia | Portulacaceae | | |
| 1061 | <i>Phacelia tetramera</i> | Dwarf phacelia | Hydrophyllaceae | | |
| 1068 | <i>Plagiobothrys humistratus</i> * | Dwarf popcornflower | Boraginaceae | 1 | |
| 566 | <i>Viola adunca</i> | Early blue violet | Violaceae | | |
| 1128 | <i>Thelopodium integrifolium</i> | Entire-leaved thelopody | Brassicaceae | | |
| 846 | <i>Bromus erectus</i> | Erect brome | Poaceae | | |
| 509 | <i>Oenothera biennis</i> | Evening primrose | Onagraceae | | |
| 1045 | <i>Oxytheca dendroides</i> | False buckwheat | Polygonaceae | | |

| | | | | | |
|------|------------------------------------|----------------------------|------------------|--|---|
| 570 | <i>Floerkea proserpinacoides</i> | False mermaid | Limnanthaceae | | |
| 300 | <i>Potamogeton pectinatus</i> | Fennel-leaf pondweed | Potamogetonaceae | | |
| 573 | <i>Lomatium dissectum</i> | Fern-leaf biscuit-root | Apiaceae | | |
| 889 | <i>Collinsia sparsiflora</i> | Few-flowered collensia | Scrophulariaceae | | |
| 928 | <i>Eriastrum sparsiflorum</i> | Few-flowered eriastrum | Polemoniaceae | | |
| 575 | <i>Dodecatheon pulchellum</i> | Few-flowered shooting star | Primulaceae | | |
| 925 | <i>Eleocharis pauciflora</i> | Few-flowered spike-rush | Cyperaceae | | |
| 239 | <i>Mentha arvensis</i> | Field mint | Lamiaceae | | |
| 97 | <i>Convolvulus arvensis</i> * | Field morning-glory | Convolvulaceae | | 1 |
| 133 | <i>Erodium cicutarium</i> * | Filaree | Geraniaceae | | 1 |
| 126 | <i>Epilobium angustifolium</i> | Fireweed | Onagraceae | | |
| 1040 | <i>Orobanche corymbosa</i> | Flat-topped broomrape | Orobanchaceae | | |
| 958 | <i>Glyceria striata</i> | Fowl mannagrass | Poaceae | | |
| 281 | <i>Poa palustris</i> * | Fowl meadow-grass | Poaceae | | 1 |
| 868 | <i>Carex vulpinoidea</i> | Fox sedge | Cyperaceae | | |
| 173 | <i>Hordeum jubatum</i> | Foxtail barley | Poaceae | | |
| 580 | <i>Cystopteris fragilis</i> | Fragile fern | Polypodiaceae | | |
| 821 | <i>Arenaria franklinii</i> | Franklin's sandwort | Caryophyllaceae | | |
| 1051 | <i>Penstemon eriantherus</i> | Fuzzy beardtongue | Scrophulariaceae | | |
| 1052 | <i>Penstemon gairdneri</i> | Gairdner's penstemon | Scrophulariaceae | | |
| 582 | <i>Lomatium geyeri</i> | Geyer's desert-parsley | Apiaceae | | |
| 583 | <i>Allium geyeri</i> | Geyer's onion | Liliaceae | | |
| 927 | <i>Epipactis gigantea</i> | Giant helleborine | Orchidaceae | | |
| 584 | <i>Elymus cinereus</i> | Giant rye grass | Poaceae | | |
| 896 | <i>Corydalis aurea</i> | Golden corydalis | Fumariaceae | | |
| 585 | <i>Ribes aureum</i> | Golden currant | Grossulariaceae | | |
| 345 | <i>Rumex maritimus</i> | Golden dock | Polygonaceae | | |
| 905 | <i>Crocidium multicaule</i> | Goldstar | Asteraceae | | |
| 586 | <i>Lomatium gormanii</i> | Gorman's desert-parsley | Apiaceae | | |
| 302 | <i>Potentilla gracilis</i> | Graceful cinquefoil | Rosaceae | | |
| 1041 | <i>Orthocarpus barbatus</i> | Grand Coulee owl-clover | Scrophulariaceae | | |
| 587 | <i>Saxifraga integrifolia</i> | Grassland saxifrage | Saxifragaceae | | |
| 1079 | <i>Potamogeton gramineus</i> | Grass-leaved pondweed | Potamogetonaceae | | |
| 1095 | <i>Salvia dorrii</i> | Gray ball sage | Lamiaceae | | |
| 910 | <i>Cryptantha leucophaea</i> | Gray cryptantha | Boraginaceae | | |
| 902 | <i>Crepis intermedia</i> | Gray hawksbeard | Asteraceae | | |
| 880 | <i>Chrysothamnus nauseosus</i> | Gray rabbit-brush | Asteraceae | | |
| 964 | <i>Hackelia cinerea</i> | Gray stickseed | Boraginaceae | | |
| 998 | <i>Lomatium grayi</i> | Gray's desert-parsley | Apiaceae | | |
| 991 | <i>Ligusticum grayi</i> | Gray's lovage | Apiaceae | | |
| 1096 | <i>Sarcobatus vermiculatus</i> | Greasewood | Chenopodiaceae | | |
| 955 | <i>Gilia leptomeria</i> | Great Basin gilia | Polemoniaceae | | |
| 881 | <i>Chrysothamnus viscidiflorus</i> | Green rabbit-brush | Asteraceae | | |
| 860 | <i>Carex interrupta</i> | Green-fruited sedge | Cyperaceae | | |
| 1126 | <i>Tetradymia canescens</i> | Grey horse-brush | Asteraceae | | |
| 871 | <i>Celtis reticulata</i> | Hackberry | Ulmaceae | | |
| 852 | <i>Camelina microcarpa</i> * | Hairy false-flax | Brassicaceae | | 1 |
| 1042 | <i>Orthocarpus hispidus</i> | Hairy owl-clover | Scrophulariaceae | | |
| 449 | <i>Vicia villosa</i> * | Hairy vetch | Fabaceae | | 1 |
| 999 | <i>Lomatium hambleniae</i> | Hamblen's desert-parsley | Apiaceae | | |
| 361 | <i>Scirpus acutus</i> | Hard-stem bulrush | Cyperaceae | | |
| 893 | <i>Conringia orientalis</i> * | Hare's ear | Brassicaceae | | 1 |
| 992 | <i>Linanthus harknessii</i> | Harkness' linanthus | Polemoniaceae | | |
| 1121 | <i>Streptanthus cordatus</i> | Heart-leaved jewelflower | Brassicaceae | | |

| | | | | | |
|------|----------------------------------|----------------------------|------------------|---|--|
| 813 | <i>Apocynum cannabinum</i> | Hemp dogbane | Apocynaceae | | |
| 945 | <i>Erythronium hendersonii</i> | Henderson's fawn lily | Liliaceae | | |
| 1031 | <i>Oenothera hilgardii</i> | Hilgard's evening-primrose | Onagraceae | | |
| 591 | <i>Machaeranthera canescens</i> | Hoary aster | Asteraceae | | |
| 853 | <i>Cardaria draba</i> * | Hoary cress | Brassicaceae | 1 | |
| 817 | <i>Arabis holboellii</i> | Holboell's rockcress | Brassicaceae | | |
| 1064 | <i>Phlox hoodii</i> | Hood's phlox | Polemoniaceae | | |
| 858 | <i>Carex hoodii</i> | Hood's sedge | Cyperaceae | | |
| 843 | <i>Balsamorhiza hookeri</i> | Hooker's balsamroot | Asteraceae | | |
| 1139 | <i>Zannichellia palustris</i> | Horned pondweed | Zannichelliaceae | | |
| 593 | <i>Ranunculus testiculatus</i> * | Hornseed buttercup | Ranunculaceae | 1 | |
| 595 | <i>Penstemon deustus</i> | Hot-rock penstemon | Scrophulariaceae | | |
| 1043 | <i>Oryzopsis hymenoides</i> | Indian ricegrass | Poaceae | | |
| 739 | <i>Agropyron intermedium</i> * | Intermediate ryegrass | Poaceae | 1 | |
| 950 | <i>Galium serpticum</i> | Intermountain bedstraw | Rubiaceae | | |
| 599 | <i>Agrostis interrupta</i> * | Interrupted apera | Poaceae | 1 | |
| 818 | <i>Arabis inyoensis</i> | Inyo rockcress | Brassicaceae | | |
| 600 | <i>Holosteum umbellatum</i> * | Jagged chickweed | Caryophyllaceae | 1 | |
| 601 | <i>Bromus japonicus</i> * | Japanese brome | Poaceae | 1 | |
| 287 | <i>Polygonum cuspidatum</i> * | Japanese knotweed | Polygonaceae | 1 | |
| 876 | <i>Chenopodium botrys</i> * | Jerusalem oak | Chenopodiaceae | 1 | |
| 373 | <i>Sisymbrium altissimum</i> * | Jim Hill mustard | Brassicaceae | 1 | |
| 875 | <i>Chaenactis nevii</i> | John Day's pincushion | Asteraceae | | |
| 282 | <i>Poa pratensis</i> * | Kentucky bluegrass | Poaceae | 1 | |
| 866 | <i>Carex retrorsa</i> | Knot-leaf sedge | Cyperaceae | | |
| 1101 | <i>Scrophularia lanceolata</i> | Lance-leaf figwort | Scrophulariaceae | | |
| 518 | <i>Sedum lanceolatum</i> | Lance-leaved stonecrop | Crassulaceae | | |
| 94 | <i>Collomia grandiflora</i> | Large-flowered collomia | Polemoniaceae | | |
| 609 | <i>Lomatium macrocarpum</i> | Large-fruited lomatium | Apiaceae | | |
| 611 | <i>Heuchera cylindrica</i> | Lava alumroot | Saxifragaceae | | |
| 1017 | <i>Mertensia oblongifolia</i> | Leafy bluebells | Boraginaceae | | |
| 419 | <i>Trifolium dubium</i> * | Least hop clover | Fabaceae | 1 | |
| 885 | <i>Clematis hirsutissima</i> | Leather-flower | Ranunculaceae | | |
| 959 | <i>Glycyrrhiza lepidota</i> | Licorice -root | Fabaceae | | |
| 864 | <i>Carex petasata</i> | Liddon's sedge | Cyperaceae | | |
| 832 | <i>Astragalus leibergii</i> | Lieberg's milk-vetch | Fabaceae | | |
| 616 | <i>Madia exigua</i> | Little tarweed | Asteraceae | | |
| 620 | <i>Polemonium micranthum</i> | Littlebells polemonium | Polemoniaceae | | |
| 971 | <i>Helianthella uniflora</i> | Little-sunflower | Asteraceae | | |
| 981 | <i>Juncus longistylus</i> | Long-beaked rush | Juncaceae | | |
| 1036 | <i>Oenothera subacaulis</i> | Long-leaf evening-primrose | Onagraceae | | |
| 929 | <i>Erigeron corymbosus</i> | Long-leaf fleabane | Asteraceae | | |
| 1065 | <i>Phlox longifolia</i> | Long-leaf phlox | Polemoniaceae | | |
| 977 | <i>Iliamna longisepala</i> | Longsepal globemallow | Malvaceae | | |
| 839 | <i>Astragalus tenellus</i> | Loose-flowered milk-vetch | Fabaceae | | |
| 961 | <i>Grindelia nana</i> | Low gumweed | Asteraceae | | |
| 903 | <i>Crepis modocensis</i> | Low hawksbeard | Asteraceae | | |
| 1058 | <i>Phacelia humilus</i> | Low phacelia | Hydrophyllaceae | | |
| 622 | <i>Antennaria dimorpha</i> | Low pussy-toes | Asteraceae | | |
| 960 | <i>Gnaphalium palustre</i> | Lowland cudweed | Asteraceae | | |
| 850 | <i>Calochortus lyallii</i> | Lyall mariposa | Liliaceae | | |
| 1094 | <i>Salix rigida</i> | Mackenzie willow | Salicaceae | | |
| 44 | <i>Asperugo procumbens</i> * | Madwort | Boraginaceae | 1 | |
| 333 | <i>Rorippa islandica</i> | Marsh yellowcress | Brassicaceae | | |
| 908 | <i>Cryptantha circumscissa</i> | Matted cryptantha | Boraginaceae | | |

| | | | | | |
|------|----------------------------------|--------------------------|-----------------|--|---|
| 172 | <i>Hordeum brachyantherum</i> | Meadow barley | Poaceae | | |
| 624 | <i>Zigadenus venenosus</i> | Meadow death camas | Liliaceae | | |
| 27 | <i>Amsinckia menziesii</i> | Menzies' fiddleneck | Boraginaceae | | |
| 1107 | <i>Silene menziesii</i> | Menzies' silene | Caryophyllaceae | | |
| 1075 | <i>Poa secunda</i> | Merrill's bluegrass | Poaceae | | |
| 247 | <i>Montia perfoliata</i> | Miner's lettuce | Portulacaceae | | |
| 679 | <i>Philadelphus lewisii</i> | Mock-orange | Hydrangeaceae | | |
| 705 | <i>Agoseris glauca</i> | Mountain agoseris | Asteraceae | | |
| 803 | <i>Alnus incana</i> | Mountain alder | Betulaceae | | |
| 917 | <i>Delphinium menziesii</i> | Mountain larkspur | Ranunculaceae | | |
| 1022 | <i>Monardella odoratissima</i> | Mountain monardella | Lamiaceae | | |
| 1123 | <i>Symphoricarpos oreophilus</i> | Mountain snowberry | Caprifoliaceae | | |
| 890 | <i>Collomia linearis</i> | Narrow-leaf collomia | Polemoniaceae | | |
| 970 | <i>Haplopappus stenophyllus</i> | Narrow-leaf goldenweed | Asteraceae | | |
| 631 | <i>Montia linearis</i> | Narrow-leaf montia | Portulacaceae | | |
| 811 | <i>Antennaria stenophylla</i> | Narrow-leaf pussy-toes | Asteraceae | | |
| 800 | <i>Alisma graminium</i> | Narrowleaf waterplantain | Alismataceae | | |
| 1102 | <i>Scutellaria angustifolia</i> | Narrow-leaved skullcap | Lamiaceae | | |
| 862 | <i>Carex nebrascensis</i> | Nebraska sedge | Cyperaceae | | |
| 924 | <i>Eleocharis acicularis</i> | Needle spike-rush | Cyperaceae | | |
| 633 | <i>Navarretia intertexta</i> | Needle-leaf navarretia | Polemoniaceae | | |
| 1097 | <i>Saxifraga nidifica</i> | Nesting saxifrage | Saxifragaceae | | |
| 764 | <i>Agastache urticifolia</i> | Nettle-leaf horse-mint | Lamiaceae | | |
| 1073 | <i>Poa nevadensis</i> | Nevada bluegrass | Poaceae | | |
| 1100 | <i>Scirpus nevadensis</i> | Nevada bulrush | Cyperaceae | | |
| 1006 | <i>Lupinus nevadensis</i> | Nevada lupine | Fabaceae | | |
| 1108 | <i>Silene noctiflora</i> * | Night-flowering catchfly | Caryophyllaceae | | 1 |
| 634 | <i>Lomatium triternatum</i> | Nine-leaf lomatium | Apiaceae | | |
| 1018 | <i>Microseris nutans</i> | Nodding microseris | Asteraceae | | |
| 335 | <i>Rosa nutkana</i> | Nootka rose | Rosaceae | | |
| 636 | <i>Galium boreale</i> | Northern bedstraw | Rubiaceae | | |
| 1134 | <i>Viola nephrophylla</i> | Northern bog violet | Violaceae | | |
| 637 | <i>Eriogonum compositum</i> | Northern buckwheat | Polygonaceae | | |
| 907 | <i>Cryptantha celosioides</i> | Northern cryptantha | Boraginaceae | | |
| 157 | <i>Glyceria borealis</i> | Northern mannagass | Poaceae | | |
| 492 | <i>Sanicula graveolens</i> | Northern Sierra) sanicle | Apiaceae | | |
| 824 | <i>Artemesia campestris</i> | Northern wormwood | Asteraceae | | |
| 849 | <i>Calochortus elegans</i> | Northwest mariposa | Liliaceae | | |
| 314 | <i>Puccinellia nuttalliana</i> | Nuttall's alkaligrass | Poaceae | | |
| 888 | <i>Coldenia nuttallii</i> | Nuttall's coldenia | Boraginaceae | | |
| 906 | <i>Cryptantha ambigua</i> | Obscure cryptantha | Boraginaceae | | |
| 957 | <i>Gilia sinuata</i> | Obscure gilia | Polemoniaceae | | |
| 171 | <i>Holodiscus discolor</i> | Ocean spray | Rosaceae | | |
| 963 | <i>Hackelia ciliata</i> | Okanogon stickseed | Boraginaceae | | |
| 1012 | <i>Melica bulbosa</i> | Onion-grass | Poaceae | | |
| 112 | <i>Dactylis glomerata</i> * | Orchard grass | Poaceae | | 1 |
| 643 | <i>Sidalcea oregana</i> | Oregon checkermallow | Malvaceae | | |
| 943 | <i>Eriophyllum lanatum</i> | Oregon sunshine | Asteraceae | | |
| 644 | <i>Woodsia oregana</i> | Oregon woodsia | Polypodiaceae | | |
| 122 | <i>Eleocharis ovata</i> | Ovoid spike-rush | Cyperaceae | | |
| 415 | <i>Tragopogon dubius</i> * | Oysterplant | Asteraceae | | 1 |
| 353 | <i>Salix lasiandra</i> | Pacific willow | Salicaceae | | |
| 804 | <i>Alyssum alyssoides</i> * | Pale alyssum | Brassicaceae | | 1 |
| 1140 | <i>Zigadenus paniculatus</i> | Panicled death-camas | Liliaceae | | |

| | | | | | |
|------|--|----------------------------|------------------|---|--|
| 646 | <i>Eriogonum heracleoides</i> | Parsnip-flowered buckwheat | Polygonaceae | | |
| 834 | <i>Astragalus misellus</i> | Pauper milkvetch | Fabaceae | | |
| 1092 | <i>Salix amygdaloides</i> | Peachleaf willow | Salicaceae | | |
| 1000 | <i>Lomatium nudicaule</i> | Pestle parsnip | Apiaceae | | |
| 933 | <i>Erigeron philadelphicus</i> | Philadelphia daisy | Asteraceae | | |
| 86 | <i>Chenopodium album*</i> | Pigweed | Chenopodiaceae | 1 | |
| 1074 | <i>Poa scabrella</i> | Pine bluegrass | Poaceae | | |
| 233 | <i>Matricaria matricarioides*</i> | Pineapple weed | Asteraceae | 1 | |
| 649 | <i>Microsteris gracilis</i> | Pink microsteris | Polemoniaceae | | |
| 934 | <i>Erigeron piperianus</i> | Piper's daisy | Asteraceae | | |
| 1099 | <i>Schoenocrambe linifolia</i> | Plains mustard | Brassicaceae | | |
| 953 | <i>Gentiana affinis</i> | Pleated gentian | Gentianaceae | | |
| 650 | <i>Rhus radicans</i> | Poison ivy | Anacardiaceae | | |
| 653 | <i>Pinus ponderosa</i> | Ponderosa pine | Pinaceae | | |
| 859 | <i>Carex hystricina</i> | Porcupine sedge | Cyperaceae | | |
| 979 | <i>Iva axillaris</i> | Poverty weed | Asteraceae | | |
| 1023 | <i>Monolepis pusilla</i> | Poverty weed | Chenopodiaceae | | |
| 1082 | <i>Potentilla pennsylvanica</i> | Prairie cinquefoil | Rosaceae | | |
| 655 | <i>Koeleria cristata</i> | Prairie junegrass | Poaceae | | |
| 1005 | <i>Lupinus lepidus</i> | Prairie lupine | Fabaceae | | |
| 656 | <i>Geum triflorum</i> | Prairie smoke | Rosaceae | | |
| 196 | <i>Lactuca serriola*</i> | Prickly lettuce | Asteraceae | 1 | |
| 988 | <i>Leptodactylon pungens</i> | Prickly phlox | Polemoniaceae | | |
| 819 | <i>Arenaria aculeata</i> | Prickly sandwort | Caryophyllaceae | | |
| 1062 | <i>Phlox aculeata</i> | Prickly-leaved phlox | Polemoniaceae | | |
| 657 | <i>Astragalus agrestis</i> | Purple milkvetch | Fabaceae | | |
| 1044 | <i>Osmorhiza purpurea</i> | Purple sweet-cicely | Apiaceae | | |
| 1026 | <i>Nama densum</i> | Purplemat | Hydrophyllaceae | | |
| 1021 | <i>Mimulus floribundus</i> | Purple-stem monkey-flower | Scrophulariaceae | | |
| 836 | <i>Astragalus purshii</i> | Pursh's milk-vetch | Fabaceae | | |
| 12 | <i>Agropyron repens*</i> | Quack grass | Poaceae | 1 | |
| 294 | <i>Populus tremuloides</i> | Quaking aspen | Salicaceae | | |
| 1078 | <i>Polypogon monspeliensis*</i> | Rabbitsfoot grass | Poaceae | 1 | |
| 661 | <i>Clarkia pulchella</i> | Ragged Robin | Onagraceae | | |
| 662 | <i>Bromus brizaeformis*</i> | Rattlesnake grass | Poaceae | 1 | |
| 663 | <i>Besseyia rubra</i> | Red besseyia | Scrophulariaceae | | |
| 814 | <i>Aquilegia formosa</i> | Red columbine | Ranunculaceae | | |
| 358 | <i>Sambucus racemosa</i> | Red elderberry | Caprifoliaceae | | |
| 140 | <i>Festuca rubra</i> | Red fescue | Poaceae | | |
| 877 | <i>Chenopodium chenopodioides</i> | Red goosefoot | Chenopodiaceae | | |
| 884 | <i>Claytonia rubra</i> | Red miner's lettuce | Portulacaceae | | |
| 822 | <i>Aristida longiseta</i> | Red three-awn | Poaceae | | |
| 13 | <i>Agrostis alba*</i> | Red top | Poaceae | 1 | |
| 101 | <i>Cornus sericea (syn. Stolonifera)</i> | Red-osier dogwood | Cornaceae | 1 | |
| 270 | <i>Phalaris arundinacea*</i> | Reed canarygrass | Poaceae | 2 | |
| 946 | <i>Euphorbia glyptosperma</i> | Ribseed sandmat | Euphorbiaceae | | |
| 1055 | <i>Penstemon richardsonii</i> | Richardson's penstemon | Scrophulariaceae | | |
| 807 | <i>Amsinckia retrorsa</i> | Rigid fiddleneck | Boraginaceae | | |
| 1119 | <i>Stipa comata</i> | Rip-gut | Poaceae | | |
| 940 | <i>Eriogonum sphaerocephalum</i> | Rock buckwheat | Polygonaceae | | |
| 1007 | <i>Lupinus saxosus</i> | Rock lupine | Fabaceae | | |
| 801 | <i>Allium macrum</i> | Rock onion | Liliaceae | | |
| 995 | <i>Lithophragma bulbifera</i> | Rocket-star | Saxifragaceae | | |
| 984 | <i>Juniperus scopulorum</i> | Rocky Mountain juniper | Cupressaceae | | |

| | | | | | |
|------|-------------------------------------|------------------------|------------------|--|---|
| 1137 | <i>Woodsia scopulina</i> | Rocky Mtn. woodsia | Polypodiaceae | | |
| 844 | <i>Balsamorhiza rosea</i> | Rosy balsamroot | Asteraceae | | |
| 668 | <i>Antennaria microphylla</i> | Rosy pussy-toes | Asteraceae | | |
| 966 | <i>Hackelia hispida</i> | Rough stickseed | Boraginaceae | | |
| 944 | <i>Erysimum asperum</i> | Rough wallflower | Brassicaceae | | |
| 1024 | <i>Muhlenbergia asperifolia</i> | Rough-leaf dropseed | Poaceae | | |
| 1124 | <i>Symphoricarpos rotundifolius</i> | Round-leaf snowberry | Caprifoliaceae | | |
| 873 | <i>Centaurea repens</i> * | Russian knapweed | Asteraceae | | 1 |
| 670 | <i>Elaeagnus angustifolia</i> * | Russian olive | Elaeagnaceae | | 1 |
| 671 | <i>Salsola kali</i> * | Russian thistle | Chenopodiaceae | | 1 |
| 1084 | <i>Psathyrostachys juncea</i> * | Russian wild rye | Poaceae | | 1 |
| 672 | <i>Ranunculus glaberrimus</i> | Sagebrush buttercup | Ranunculaceae | | |
| 851 | <i>Calochortus macrocarpus</i> | Sagebrush mariposa | Liliaceae | | |
| 962 | <i>Hackelia arida</i> | Sagebrush stickseed | Boraginaceae | | |
| 965 | <i>Hackelia diffusa</i> | Sagebrush stickseed | Boraginaceae | | |
| 1136 | <i>Viola trinervata</i> | Sagebrush violet | Violaceae | | |
| 972 | <i>Heliotropium curassavicum</i> | Salt heliotrope | Boraginaceae | | |
| 840 | <i>Atriplex nuttallii</i> | Saltsage | Chenopodiaceae | | |
| 1115 | <i>Sporobolus cryptandrus</i> | Sand dropseed | Poaceae | | |
| 673 | <i>Poa sandbergii</i> | Sandberg's bluegrass | Poaceae | | |
| 1049 | <i>Penstemon acuminatus</i> | Sand-dune penstemon | Scrophulariaceae | | |
| 802 | <i>Allium scilloides</i> | Scilla-like onion | Liliaceae | | |
| 974 | <i>Hieracium scouleri</i> | Scouler's hawkweed | Asteraceae | | |
| 130 | <i>Equisetum hyemale</i> | Scouring rush | Equisetaceae | | |
| 363 | <i>Scirpus maritimus</i> | Seacoast bulrush | Cyperaceae | | |
| 119 | <i>Distichlis spicata</i> | Seashore salt grass | Poaceae | | |
| 305 | <i>Prunella vulgaris</i> | Self-heal | Lamiaceae | | |
| 26 | <i>Amelanchier alnifolia</i> | Serviceberry | Rosaceae | | |
| 936 | <i>Erigeron pumilus</i> | Shaggy fleabane | Asteraceae | | |
| 29 | <i>Angelica arguta</i> | Sharp-tooth angelica | Apiaceae | | |
| 343 | <i>Rumex acetocella</i> * | Sheep sorrel | Polygonaceae | | 1 |
| 68 | <i>Capsella bursa-pastoris</i> * | Shepherd's purse | Brassicaceae | | 1 |
| 1086 | <i>Ranunculus cymbalaria</i> | Shore buttercup | Ranunculaceae | | |
| 856 | <i>Carex brevior</i> | Short-beaked sedge | Cyperaceae | | |
| 681 | <i>Asclepias speciosa</i> | Showy milkweed | Asclepiadaceae | | |
| 1056 | <i>Penstemon speciosus</i> | Showy penstemon | Scrophulariaceae | | |
| 682 | <i>Phlox speciosa</i> | Showy phlox | Polemoniaceae | | |
| 949 | <i>Galium multiflorum</i> | Shrubby bedstraw | Rubiaceae | | |
| 1133 | <i>Ulmus pumila</i> * | Siberian elm | Ulmaceae | | 1 |
| 1025 | <i>Myriophyllum sibiricum</i> | Siberian water-milfoil | Haloragaceae | | |
| 1001 | <i>Lupinus albicaulis</i> | Sickle-keeled lupine | Fabaceae | | |
| 683 | <i>Arabis sparsiflora</i> | Sicklepod rockcress | Brassicaceae | | |
| 982 | <i>Juncus nevadensis</i> | Sierra rush | Juncaceae | | |
| 685 | <i>Lupinus sericeus</i> | Silky lupine | Fabaceae | | |
| 865 | <i>Carex praegracilis</i> | Silver sedge | Cyperaceae | | |
| 1002 | <i>Lupinus argenteus</i> | Silvery lupine | Fabaceae | | |
| 464 | <i>Festuca octoflora</i> * | Sixweeks fescue | Poaceae | | 1 |
| 978 | <i>Ipomopsis aggregata</i> | Skyrocket | Polemoniaceae | | |
| 1047 | <i>Pectocarya penicillata</i> | Sleeping combseed | Boraginaceae | | |
| 193 | <i>Juncus tenuis</i> | Slender (tapered) rush | Juncaceae | | |
| 939 | <i>Eriogonum microthecum</i> | Slender buckwheat | Polygonaceae | | |
| 996 | <i>Lithophragma tenella</i> | Slender fringecup | Saxifragaceae | | |
| 899 | <i>Crepis atrabarba</i> | Slender hawkbeard | Asteraceae | | |
| 1122 | <i>Suaeda occidentalis</i> | Slender seablite | Chenopodiaceae | | |
| 74 | <i>Carex arthrostrachya</i> | Slender-beak sedge | Cyperaceae | | |

| | | | | | |
|------|----------------------------------|-------------------------------|------------------|--|---|
| 878 | <i>Chenopodium leptophyllum</i> | Slim-leaf goosefoot | Chenopodiaceae | | |
| 847 | <i>Calamagrostis neglecta</i> | Slimstem reedgrass | Poaceae | | |
| 688 | <i>Mertensia longiflora</i> | Small bluebells | Boraginaceae | | |
| 948 | <i>Festuca microstachys</i> | Small fescue | Poaceae | | |
| 689 | <i>Collinsia parviflora</i> | Small-flowered blue-eyed Mary | Scrophulariaceae | | |
| 364 | <i>Scirpus microcarpus</i> | Small-flowered bulrush | Cyperaceae | | |
| 1032 | <i>Oenothera minor</i> | Small-flowered e-p | Onagraceae | | |
| 251 | <i>Myosotis laxa</i> | Small-flowered forget-me-not | Boraginaceae | | |
| 956 | <i>Gilia minutiflora</i> | Small-flowered gilia | Polemoniaceae | | |
| 1053 | <i>Penstemon procerus</i> | Small-flowered penstemon | Scrophulariaceae | | |
| 690 | <i>Lithophragma parviflorum</i> | Small-flowered prairie-star | Saxifragaceae | | |
| 926 | <i>Epilobium minutum</i> | Small-flowered willow-herb | Onagraceae | | |
| 693 | <i>Bromus inermis*</i> | Smooth brome | Poaceae | | 1 |
| 1048 | <i>Pellaea glabella</i> | Smooth cliff-fbrake | Polypodiaceae | | |
| 694 | <i>Equisetum laevigatum</i> | Smooth scouring-rush | Equisetaceae | | |
| 695 | <i>Lithophragma glabrum</i> | Smooth woodlandstar | Saxifragaceae | | |
| 696 | <i>Eriogonum niveum</i> | Snow buckwheat | Polygonaceae | | |
| 922 | <i>Douglasia nivalis</i> | Snow douglasia | Primulaceae | | |
| 59 | <i>Bromus mollis*</i> | Soft brome | Poaceae | | 1 |
| 190 | <i>Juncus effusus</i> | Soft rush | Juncaceae | | |
| 344 | <i>Rumex crispus*</i> | Sour dock | Polygonaceae | | 1 |
| 838 | <i>Astragalus spaldingii</i> | Spalding's milk vetch | Fabaceae | | |
| 216 | <i>Lotus purshiana</i> | Spanish clover | Fabaceae | | |
| 1013 | <i>Mentha spicata*</i> | Spearmint | Lamiaceae | | 1 |
| 833 | <i>Astragalus lentiginosus</i> | Specklepod milk-vetch | Fabaceae | | |
| 799 | <i>Agrostis exarata*</i> | Spike bentgrass | Poaceae | | 1 |
| 1125 | <i>Talinum spinescens</i> | Spiny fameflower | Portulacaceae | | |
| 841 | <i>Atriplex spinosa</i> | Spiny hop sage | Chenopodiaceae | | |
| 930 | <i>Erigeron divergens</i> | Spreading daisy | Asteraceae | | |
| 699 | <i>Apocynum androsaemifolium</i> | Spreading dogbane | Apocynaceae | | |
| 952 | <i>Gayophytum diffusum</i> | Spreading groundsmoke | Onagraceae | | |
| 1063 | <i>Phlox diffusa</i> | Spreading phlox | Polemoniaceae | | |
| 848 | <i>Callitriche verna</i> | Spring water-starwort | Callitrichaceae | | |
| 120 | <i>Draba verna</i> | Spring whitlow-grass | Brassicaceae | | |
| 1004 | <i>Lupinus laxiflorus</i> | Spurred lupine | Fabaceae | | |
| 700 | <i>Sitanion hystrix</i> | Squirreltail | Poaceae | | |
| 837 | <i>Astragalus sclerocarpus</i> | Stalked-pod milk-vetch | Fabaceae | | |
| 376 | <i>Smilacina stellata</i> | Star-flowered Solomon's seal | Liliaceae | | |
| 702 | <i>Potentilla glandulosa</i> | Sticky cinquefoil | Rosaceae | | |
| 706 | <i>Geranium viscosissimum</i> | Sticky geranium | Geraniaceae | | |
| 1057 | <i>Phacelia glandulifera</i> | Sticky phacelia | Hydrophyllaceae | | |
| 1059 | <i>Phacelia lenta</i> | Sticky phacelia | Hydrophyllaceae | | |
| 1116 | <i>Stellaria jamesiana</i> | Sticky starwort | Caryophyllaceae | | |
| 707 | <i>Artemisia rigida</i> | Stiff sagebrush | Asteraceae | | |
| 1117 | <i>Stephanomeria paniculata</i> | Stiff-branch wirelettuce | Asteraceae | | |
| 433 | <i>Urtica dioica</i> | Stinging nettle | Urticaceae | | |
| 810 | <i>Antennaria flagellaris</i> | Stolonous pussy-toes | Asteraceae | | |
| 941 | <i>Eriogonum strictum</i> | Strict buckwheat | Polygonaceae | | |
| 1008 | <i>Lupinus sulphureus</i> | Sulphur lupine | Fabaceae | | |
| 1087 | <i>Rhus glabra</i> | Sumac | Anacardiaceae | | |
| 709 | <i>Lomatium ambiguum</i> | Swale desert-parsley | Apiaceae | | |
| 710 | <i>Polygonum coccineum</i> | Swamp persicaria | Polygonaceae | | |
| 474 | <i>Osmorhiza chilensis</i> | Sweet-cicely | Apiaceae | | |
| 867 | <i>Carex tahoensis</i> | Tahoe sedge | Cyperaceae | | |

| | | | | | |
|------|---------------------------------------|--------------------------------|------------------|---|--|
| 127 | <i>Epilobium paniculatum</i> | Tall annual willow-herb | Onagraceae | | |
| 1105 | <i>Senecio serra</i> | Tall butterweed | Asteraceae | | |
| 1080 | <i>Potentilla arguta</i> | Tall cinquefoil | Rosaceae | | |
| 980 | <i>Iva xanthifolia</i> | Tall marsh-elder | Asteraceae | | |
| 52 | <i>Berberis aquifolium</i> | Tall Oregongrape | Berberidaceae | | |
| 203 | <i>Lepidium virginicum</i> * | Tall pepperweed | Brassicaceae | 1 | |
| 1037 | <i>Oenothera tanacetifolia</i> | Tansy-leaf evening-primrose | Onagraceae | | |
| 898 | <i>Crepis acuminata</i> | Tapertip hawksbeard | Asteraceae | | |
| 718 | <i>Allium acuminatum</i> | Taper-tip onion | Liliaceae | | |
| 825 | <i>Artemesia dracuncululus</i> | Tarragon | Asteraceae | | |
| 117 | <i>Dipsacus sylvestris</i> * | Teasel | Dipsacaceae | 1 | |
| 993 | <i>Linanthus pharnaceoides</i> | Theadleaf linanthus | Polemoniaceae | | |
| 1129 | <i>Thelopodium laciniatum</i> | Thick-leaved thelepody | Brassicaceae | | |
| 729 | <i>Orthocarpus tenuifolius</i> | Thin-leaved owl-clover | Scrophulariaceae | | |
| 459 | <i>Cirsium sp.</i> | Thistle | Asteraceae | | |
| 870 | <i>Castilleja thompsonii</i> | Thompson's paintbrush | Scrophulariaceae | | |
| 931 | <i>Erigeron filifolius</i> | Thread-leaf fleabane | Asteraceae | | |
| 733 | <i>Phacelia linearis</i> | Thread-leaf phacelia | Hydrophyllaceae | | |
| 737 | <i>Carex filifolia</i> | Thread-leaf sedge | Cyperaceae | | |
| 362 | <i>Scirpus americanus</i> | Three-square bulrush | Cyperaceae | | |
| 777 | <i>Artemisia tripartita</i> | Three-tip sagebrush | Asteraceae | | |
| 937 | <i>Erigeron subtrinervis</i> | Three-veined fleabane | Asteraceae | | |
| 791 | <i>Stipa thurberiana</i> | Thurber's needlegrass | Poaceae | | |
| 942 | <i>Eriogonum thymoides</i> | Thyme-leaf buckwheat | Polygonaceae | | |
| 1029 | <i>Oenothera andina</i> | Tiny evening-primrose | Onagraceae | | |
| 781 | <i>Cryptantha torreyana</i> | Torrey's cryptantha | Boraginaceae | | |
| 816 | <i>Arabis glabra</i> | Tower mustard | Brassicaceae | | |
| 1010 | <i>Lysimachia thrysiflora</i> | Tufted loosestrife | Primulaceae | | |
| 793 | <i>Phlox caespitosa</i> | Tufted phlox | Polemoniaceae | | |
| 915 | <i>Cymopterus terebinthinus</i> | Turpentine spring-parsley | Apiaceae | | |
| 983 | <i>Juncus uncialis</i> | Twelfth rush | Juncaceae | | |
| 823 | <i>Arnica sororia</i> | Twin arnica | Asteraceae | | |
| 812 | <i>Antennaria umbrinella</i> | Umber pussy-toes | Asteraceae | | |
| 666 | <i>Delphinium nuttallianum</i> | Upland larkspur | Ranunculaceae | | |
| 501 | <i>Lupinus leucophyllus</i> | Velvet lupine | Fabaceae | | |
| 987 | <i>Lepidium dictyotum</i> | Vieny peppergrass | Brassicaceae | | |
| 886 | <i>Clematis lingusticifolia</i> | Virgin's bower | Ranunculaceae | | |
| 1103 | <i>Selaginella wallacei</i> | Wallace's selaginella | Selaginellaceae | | |
| 780 | <i>Betula occidentalis</i> | Water birch | Betulaceae | | |
| 796 | <i>Ranunculus aquatilis</i> | Water buttercup | Ranunculaceae | | |
| 226 | <i>Lycopus americanus</i> | Water hoarhound | Lamiaceae | | |
| 201 | <i>Lemna minor</i> | Water lentil (Common duckweed) | Lemnaceae | | |
| 284 | <i>Polygonum amphibium</i> | Water smartweed | Polygonaceae | | |
| 479 | <i>Rorippa nasturtium-aquaticum</i> * | Watercress | Brassicaceae | 1 | |
| 913 | <i>Cryptantha watsonii</i> | Watson's cryptantha | Boraginaceae | | |
| 879 | <i>Chorizanthe watsonii</i> | Watson's spine-flower | Polygonaceae | | |
| 128 | <i>Epilobium watsonii</i> | Watson's willow-herb | Onagraceae | | |
| 1019 | <i>Microseris troximoides</i> | Wavyleaf microseris | Asteraceae | | |
| 882 | <i>Cirsium undulatum</i> | Wavy-leaved thistle | Asteraceae | | |
| 546 | <i>Ribes cereum</i> | Wax currant | Grossulariaceae | | |
| 909 | <i>Cryptantha flaccida</i> | Weak-stem cryptantha | Boraginaceae | | |
| 1113 | <i>Sphenopholis obtusata</i> | Wedgegrass | Poaceae | | |
| 835 | <i>Astragalus miser</i> | Weedy milk-vetch | Fabaceae | | |
| 918 | <i>Delphinium viridescens</i> | Wenatchee larkspur | Ranunculaceae | | |
| 788 | <i>Iris missouriensis</i> | Western blue flag | Iridaceae | | |

| | | | | | |
|------|---------------------------------|---------------------------|------------------|--|---|
| 779 | <i>Senecio integerrimus</i> | Western groundsel | Asteraceae | | |
| 904 | <i>Crepis occidentalis</i> | Western hawksbeard | Asteraceae | | |
| 430 | <i>Tsuga heterophylla</i> | Western hemlock | Pinaceae | | |
| 827 | <i>Aster campestris</i> | Western meadow aster | Asteraceae | | |
| 1127 | <i>Thalictrum occidentale</i> | Western meadowrue | Ranunculaceae | | |
| 776 | <i>Artemisia ludoviciana</i> | Western mugwort | Asteraceae | | |
| 1120 | <i>Stipa occidentalis</i> | Western needlegrass | Poaceae | | |
| 1098 | <i>Saxifraga occidentalis</i> | Western saxifrage | Saxifragaceae | | |
| 883 | <i>Claytonia lanceolata</i> | Western spring beauty | Portulacaceae | | |
| 976 | <i>Hypericum formosum</i> | Western St.John's-wort | Hypericaceae | | |
| 986 | <i>Lappula redowskii</i> | Western stickseed | Boraginaceae | | |
| 264 | <i>Osmorhiza occidentalis</i> | Western sweet-cicely | Apiaceae | | |
| 782 | <i>Descurainia pinnata</i> | Western tansymustard | Brassicaceae | | |
| 1072 | <i>Poa nervosa</i> | Wheeler's bluegrass | Poaceae | | |
| 423 | <i>Trifolium repens*</i> | White clover | Fabaceae | | 1 |
| 798 | <i>Plectritis macrocera</i> | White plectritis | Valerianaceae | | |
| 762 | <i>Abronia mellifera</i> | White sand verbena | Nyctaginaceae | | |
| 236 | <i>Melilotus alba*</i> | White sweet-clover | Fabaceae | | 1 |
| 968 | <i>Halimolobos whitedii</i> | Whited's halimolobos | Brassicaceae | | |
| 787 | <i>Phacelia hastata</i> | White-leaf phacelia | Hydrophyllaceae | | |
| 1112 | <i>Sphaeralcea munroana</i> | White-leaved globe mallow | Malvaceae | | |
| 1033 | <i>Oenothera pallida</i> | White-stemmed e-p | Onagraceae | | |
| 1014 | <i>Mentzelia albicaulis</i> | White-stemmed mentzelia | Loasaceae | | |
| 1132 | <i>Trifolium variegatum</i> | White-tip clover | Fabaceae | | |
| 789 | <i>Linum perenne</i> | Wild blue-flax | Linaceae | | |
| 1038 | <i>Oenothera villosa*</i> | Wild evening-primrose | Onagraceae | | 1 |
| 954 | <i>Geranium carolinianum</i> | Wild geranium | Geraniaceae | | |
| 288 | <i>Polygonum lapathifolium*</i> | Willow weed | Polygonaceae | | 1 |
| 1046 | <i>Pectocarya linearis</i> | Winged combseed | Boraginaceae | | |
| 1091 | <i>Rumex venosus</i> | Winged dock | Polygonaceae | | |
| 911 | <i>Cryptantha pterocarya</i> | Wing-nut cryptantha | Boraginaceae | | |
| 947 | <i>Eurotia lanata</i> | Winterfat | Chenopodiaceae | | |
| 794 | <i>Polygonum majus</i> | Wiry knotweed | Polygonaceae | | |
| 775 | <i>Antennaria luzuloides</i> | Woodrush pussy-toes | Asteraceae | | |
| 610 | <i>Rosa woodsii</i> | Wood's rose | Rosaceae | | |
| 786 | <i>Hydrophyllum capitatum</i> | Woolly breeches | Hydrophyllaceae | | |
| 1131 | <i>Trifolium microcephalum</i> | Woolly clover | Fabaceae | | |
| 1104 | <i>Senecio canus</i> | Woolly groundsel | Asteraceae | | |
| 863 | <i>Carex pellita</i> | Woolly sedge | Cyperaceae | | |
| 861 | <i>Carex lanuginosa</i> | Woolly sedge | Cyperaceae | | |
| 783 | <i>Sedum stenopetalum</i> | Worm-leaf stonecrop | Crassulaceae | | |
| 828 | <i>Aster pansus</i> | Wreath aster | Asteraceae | | |
| 1009 | <i>Lupinus wyethii</i> | Wyeth's lupine | Fabaceae | | |
| 5 | <i>Achillea millifolium</i> | Yarrow | Asteraceae | | |
| 887 | <i>Cleome lutea</i> | Yellow bee-plant | Capparidaceae | | |
| 552 | <i>Fritillaria pudica</i> | Yellow bell | Liliaceae | | |
| 183 | <i>Iris pseudacorus*</i> | Yellow flag | Iridaceae | | 2 |
| 1027 | <i>Navarretia breweri</i> | Yellow navarretia | Polemoniaceae | | |
| 1050 | <i>Penstemon confertus</i> | Yellow penstemon | Scrophulariaceae | | |
| 1135 | <i>Viola nuttallii</i> | Yellow prairie violet | Violaceae | | |
| 919 | <i>Delphinium xantholeucum</i> | Yellow-white larkspur | Ranunculaceae | | |